SOLICITOR

3 AO 121 (6/90)					
TO:		}	2009		
	U.S. PATENT	& TRA	DEMARK OFFICE		
Commissioner of Patents and Trademarks P.O. Box 1450 Alexandria, VA 22313-1450			REPORT ON THE FILING OF DETERMINATION OF AN ACTION OR APPEAL REGARDING A COPYRIGHT		
In compliance with the A hat a court action has been filed				U.S.C. 290) you are hereby advised S. District Court:	
DOCKET NO 09 cv 6364	DATE FILED 10/09/09		UNITED STATES DISTRICT COURT, NORTHERN DISTRIC OF ILLINOIS, EASTERN DIVISION		
PLAINTIFF		DEFENDANTS			
Winvic Sales, Inc.			Bed, Bath, and Beyond, Inc., et.al.		
PATENT NO.	DATE O	DATE OF PATENT		PATENTEE	
6,719,443	4/13/04	4/13/04		Robert A. Gutstein	
In the above-entitle	d case, the followin	g nate	ent(s) have b	been included:	
DATE INCLUDED	INCLUDED BY	Брил	(5)		
	[] Amendme	nt] Answer	[] Cross Bill [] Other Pleading	
PATENT NO.	DATE OF	PATE	NT	PATENTEE	
1					
2					
In the above-entitled case, t	he following decision	n has	been rendere	d or judgment issued:	
DECISION/JUDGMENT					
CLERK MICHAEL W. DOBBINS	(BY) DEPUTY Cynthia D. You	CLER ulgal	theil	DATE/ 10/10/9	
opy 1 - Upon initiation of action, mail this	copy to Commissioner	Copy 3	- Upon termina	ation of action, mail this copy to Commissioner	



(12) United States Patent

Gutstein et al.

(10) Patent No.:

US 6,719,443 B2

(45) Date of Patent:

Apr. 13, 2004

ELECTRICALLY ILLUMINATED FLAME SIMULATOR

- (76) Inventors: Robert A. Gutstein, 23604 Dry Canyon old Creck Rd., Calabasas, CA (US) 91302; Monlta Liu, 23604 Dry Canyon old Creek Rd., Calabasas, CA (US) 91302
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: 10/084,272
- (22) Filed: Feb. 27, 2002
- (65) Prior Publication Data US 2003/0161145 A1 Aug. 28, 2003
- (51) Int. Cl.⁷ F21V 35/00
- 362/392; 362/276; 362/252; 362/810; 362/800; 315/200 A; 315/185 R
- (58) Field of Search Search 362/161, 810, 362/392, 276, 252, 806, 802; 40/428, 431; 315/200 A, 185 R, 193, 360, 291

References Cited (56)

U.S. PATENT DOCUMENTS

4,510,556 A	٠	4/1985	Johnson 362/184
5.097,180 A	٠	3/1992	Ignon et al 315/200 A
5,924,784 A	•	7/1999	Chliwayj et al 362/234
6,053,622 A	٠	4/2000	Horowitz et al 362/276
6.102,548 A	•	8/2000	Mantle et al 362/155
6,280,053 B	١,	8/2001	Chien 362/228

* cited by examiner

Primary Examiner-Sandra O'Shea

Assistant Examiner-Ali Alavi

(74) Attorney, Agent, or Firm-Colin P. Abrahams

ABSTRACT

An electrically powered flame simulator comprises at least two light sources, an integrated circuit electrically connected to the light sources for intermittently illuminating at least one of the light sources independently of other light sources such that the light sources together provide the effect of a flickering movement, and a power source for providing power to the integrated circuit. The flarne simulator may be mounted in a decorative or ornamental device such as a candle or fire log, or used on decorative clothing, or may be part of a hazzard or warning system. One or more solid state light sources may also be used.

27 Claims, 3 Drawing Sheets



